

## PRODUCT DATA SHEET

Standing: 2021-07-21

LAUDA Alpha A 24

Heating thermostat 230 V; 50/60 Hz

Part Number: L000621

### Features

- Thermostatic bath with simplest operation
- 1-line LED display for display of actual or set temperature
- User-friendly menu guidance with simplest 3-key operation
- Fully electronic continuous controller
- Low level and overtemperature protection for use with non-flammable liquids
- Acoustic and visual alarm
- Circulating pump with flow reduction
- Bath from deep-drawn stainless steel
- Electric connector for Through-flow Cooler DLK (On/Off/Automatic)
- Optional cooling coil and pump circulation set available



Working temperature min.  
25 °C



Working temperature max.  
100 °C

Reserve technical changes

## PRODUCT DATA SHEET

Standing: 2021-07-21

LAUDA Alpha A 24

Heating thermostat 230 V; 50/60 Hz

Part Number: L000621

### Technical Features (according to DIN 12876)

Working temperature range	25 ... 100 °C
Ambient temperature range	5 ... 40 °C
Temperature stability	0.05 ± K
Heater power max.	1.5 kW
Power consumption max.	1.5 kW
Power consumption	7 A
Pump Pressure max.	0.2 bar
Pump flow rate pressure max.	15 L/min
Bath volume min. / max.	18,0 / 25,0 L
Size of bath (W x D x H)	295 x 374 x 200 mm
Overall dimensions (WxDxH)	332 x 535 x 420 mm
Power supply	230 V; 50/60 Hz
Power plug	Power cord with angled plug (CEE7/7)

### Standard accessories

- 1 screw clamp
- Flow reduction


## PRODUCT DATA SHEET

Standing: 2021-07-21

LAUDA Alpha A 24

Heating thermostat 230 V; 50/60 Hz

Part Number: L000621




## PRODUCT DATA SHEET

Standing: 2021-07-21

LAUDA Alpha A 24

Heating thermostat 230 V; 50/60 Hz

Part Number: L000621



Reserve technical changes